

INVERTER INFORMATION		
MANUFACTURER	SMA INVERTER	
MODEL	20000TL-US	
INVERTER NAME:	INV-9.1	
UPPER MPPT	800	V
LOWER MPPT	380	V
MAX INPUT VOLTAGE	1000	V
MAX OPERATING INPUT CURRENT	66	A
SHORT CIRCUIT CURRENT	53.00	A
OUTPUT VOLTAGE	480	V
INVERTER PHASE	3	PHASE
MAX OUTPUT CURRENT	24	A
EFFICIENCY	98.5	%
LOADED WATTAGE (STC)	17.4	KW

INVERTER INFORMATION		
MANUFACTURER	SMA INVERTER	
MODEL	20000TL-US	
INVERTER NAME:	INV-9.2	
UPPER MPPT	800	V
LOWER MPPT	380	V
MAX INPUT VOLTAGE	1000	V
MAX OPERATING INPUT CURRENT	66	A
SHORT CIRCUIT CURRENT	53.00	A
OUTPUT VOLTAGE	480	V
INVERTER PHASE	3	PHASE
MAX OUTPUT CURRENT	24	A
EFFICIENCY	98.5	%
LOADED WATTAGE (STC)	26.1	KW

INVERTER INFORMATION		
MANUFACTURER	SMA INVERTER	
MODEL	20000TL-US	
INVERTER NAME:	INV-10.1	
UPPER MPPT	800	V
LOWER MPPT	380	V
MAX INPUT VOLTAGE	1000	V
MAX OPERATING INPUT CURRENT	66	A
SHORT CIRCUIT CURRENT	53.00	A
OUTPUT VOLTAGE	480	V
INVERTER PHASE	3	PHASE
MAX OUTPUT CURRENT	24	A
EFFICIENCY	98.5	%
LOADED WATTAGE (STC)	18.9	KW

INVERTER INFORMATION		
MANUFACTURER	SMA INVERTER	
MODEL	20000TL-US	
INVERTER NAME:	INV-11.1	
UPPER MPPT	800	V
LOWER MPPT	380	V
MAX INPUT VOLTAGE	1000	V
MAX OPERATING INPUT CURRENT	66	A
SHORT CIRCUIT CURRENT	53.00	A
OUTPUT VOLTAGE	480	V
INVERTER PHASE	3	PHASE
MAX OUTPUT CURRENT	24	A
EFFICIENCY	98.5	%
LOADED WATTAGE (STC)	18.9	KW

INVERTER INFORMATION		
MANUFACTURER	SMA INVERTER	
MODEL	20000TL-US	
INVERTER NAME:	INV-12.1	
UPPER MPPT	800	V
LOWER MPPT	380	V
MAX INPUT VOLTAGE	1000	V
MAX OPERATING INPUT CURRENT	66	A
SHORT CIRCUIT CURRENT	53.00	A
OUTPUT VOLTAGE	480	V
INVERTER PHASE	3	PHASE
MAX OUTPUT CURRENT	24	A
EFFICIENCY	98.5	%
LOADED WATTAGE (STC)	21.3	KW

INVERTER INFORMATION		
MANUFACTURER	SMA INVERTER	
MODEL	24000TL-US	
INVERTER NAME:	INV-14.1	
UPPER MPPT	800	V
LOWER MPPT	380	V
MAX INPUT VOLTAGE	1000	V
MAX OPERATING INPUT CURRENT	66	A
SHORT CIRCUIT CURRENT	53.00	A
OUTPUT VOLTAGE	480	V
INVERTER PHASE	3	PHASE
MAX OUTPUT CURRENT	29	A
EFFICIENCY	98.5	%
LOADED WATTAGE (STC)	30.8	KW

INVERTER INFORMATION		
MANUFACTURER	SMA INVERTER	
MODEL	20000TL-US	
INVERTER NAME:	INV-25.1	
UPPER MPPT	800	V
LOWER MPPT	380	V
MAX INPUT VOLTAGE	1000	V
MAX OPERATING INPUT CURRENT	66	A
SHORT CIRCUIT CURRENT	53.00	A
OUTPUT VOLTAGE	480	V
INVERTER PHASE	3	PHASE
MAX OUTPUT CURRENT	24	A
EFFICIENCY	98.5	%
LOADED WATTAGE (STC)	15	KW

INVERTER INFORMATION		
MANUFACTURER	SMA INVERTER	
MODEL	24000TL-US	
INVERTER NAME:	INV-24.1	
UPPER MPPT	800	V
LOWER MPPT	380	V
MAX INPUT VOLTAGE	1000	V
MAX OPERATING INPUT CURRENT	66	A
SHORT CIRCUIT CURRENT	53.00	A
OUTPUT VOLTAGE	480	V
INVERTER PHASE	3	PHASE
MAX OUTPUT CURRENT	29	A
EFFICIENCY	98.5	%
LOADED WATTAGE (STC)	30.8	KW

INVERTER INFORMATION		
MANUFACTURER	SMA INVERTER	
MODEL	20000TL-US	
INVERTER NAME:	INV-23.1	
UPPER MPPT	800	V
LOWER MPPT	380	V
MAX INPUT VOLTAGE	1000	V
MAX OPERATING INPUT CURRENT	66	A
SHORT CIRCUIT CURRENT	53.00	A
OUTPUT VOLTAGE	480	V
INVERTER PHASE	3	PHASE
MAX OUTPUT CURRENT	24	A
EFFICIENCY	98.5	%
LOADED WATTAGE (STC)	24.8	KW

INVERTER INFORMATION		
MANUFACTURER	SMA INVERTER	
MODEL	20000TL-US	
INVERTER NAME:	INV-22.1	
UPPER MPPT	800	V
LOWER MPPT	380	V
MAX INPUT VOLTAGE	1000	V
MAX OPERATING INPUT CURRENT	66	A
SHORT CIRCUIT CURRENT	53.00	A
OUTPUT VOLTAGE	480	V
INVERTER PHASE	3	PHASE
MAX OUTPUT CURRENT	24	A
EFFICIENCY	98.5	%
LOADED WATTAGE (STC)	24.8	KW

INVERTER INFORMATION		
MANUFACTURER	SMA INVERTER	
MODEL	20000TL-US	
INVERTER NAME:	INV-21.1	
UPPER MPPT	800	V
LOWER MPPT	380	V
MAX INPUT VOLTAGE	1000	V
MAX OPERATING INPUT CURRENT	66	A
SHORT CIRCUIT CURRENT	53.00	A
OUTPUT VOLTAGE	480	V
INVERTER PHASE	3	PHASE
MAX OUTPUT CURRENT	24	A
EFFICIENCY	98.5	%
LOADED WATTAGE (STC)	24.8	KW


INVERTER INFORMATION		
MANUFACTURER	SMA INVERTER	
MODEL	20000TL-US	
INVERTER NAME:	INV-16.1	
UPPER MPPT	800	V
LOWER MPPT	380	V
MAX INPUT VOLTAGE	1000	V
MAX OPERATING INPUT CURRENT	66	A
SHORT CIRCUIT CURRENT	53.00	A
OUTPUT VOLTAGE	480	V
INVERTER PHASE	3	PHASE
MAX OUTPUT CURRENT	24	A
EFFICIENCY	98.5	%
LOADED WATTAGE (STC)	28.4	KW

INVERTER INFORMATION		
MANUFACTURER	SMA INVERTER	
MODEL	20000TL-US	
INVERTER NAME:	INV-28.1	
UPPER MPPT	800	V
LOWER MPPT	380	V
MAX INPUT VOLTAGE	1000	V
MAX OPERATING INPUT CURRENT	66	A
SHORT CIRCUIT CURRENT	53.00	A
OUTPUT VOLTAGE	480	V
INVERTER PHASE	3	PHASE
MAX OUTPUT CURRENT	24	A
EFFICIENCY	98.5	%
LOADED WATTAGE (STC)	24.8	KW

Revision Dates	
△	
△	
△	
△	

PHOTOVOLTAIC INSTALLATION

MONTECITO VILLAGE
 1625 SANTA VENETIA STREET
 CHULA VISTA, CA 91913



Job Number 014-034
SHEET DESCRIPTION

INVERTERS SCHEDULE

Sheet Number
PV2.4